


Nova

brik

4.0

MECHANICALLY FASTENED BRICK VENEER



MECHANICALLY FASTENED BRICK

- EASY INSTALLATION
- STACK AND SCREW





WINDOW SILL

*Harvest Blend, Smooth
Window Sill: Smokey Mountain Blend, Split*




WAINSCOT CAP

Arlington Blend, Split



**Details for
ALL PROJECTS**



BULLNOSE

Smokey Mountain Blend, Smooth



CORNER BLOCKS ON WINDOW BORDER

*Desert Sand & Harvest Blend, Split
Corners around windows: Marble White, Split*



WINDOW TRIM

Desert Sand, Split

NOVABRIK

Smooth: 8"x4"x2½"

Split: 8"x4"x2½"



EXTERIOR CORNER BLOCK

Smooth: 4"x4"x8"

Split: 4"x4"x6"



INTERIOR CORNER BLOCK

Smooth: 4"x4"x8"

Split: 4"x4"x6"



WAINSCOT CAP

Smooth: 8"x5"x4"

Split: 8"x5"x4"




NOVABRIK

UNITS

BULLNOSE

Smooth: 8"x5"x4"




WINDOW SILL

Universal: 15¾"x4"x2½"




STARTER STRIP

PVC, 8'



CORNER STRIP

Galvanized Steel, 4'



WINDOW TRIM

PVC, 8'



- EASY INSTALL
- NINE COLORS
- SPLIT OR SMOOTH TEXTURE




1. Complete the prep work


2. Install the corner blocks

3. Fasten the bricks


CAN BE INSTALLED ON VARIOUS TYPES OF STRUCTURES




STEEL STUD WALL



CONCRETE OR MASONRY



WOOD STRUCTURE



ICF



4.0

www.amconconcreteproducts.com/novabrik
651-688-9116